

From: [Akhter Hossain](#)
To: [Jump, Christine](#)
Subject: FW: please clarify- partial closure of bldg. B,D, and J
Date: Tuesday, January 21, 2014 4:00:53 PM

From: SMITH, MARTIN L [mailto:smith.martin@cleanharbors.com]
Sent: Tuesday, January 14, 2014 6:42 AM
To: Akhter Hossain
Cc: Mostafa Kamal; Grater, Lee R; Michael Stephenson; Jeff Dexter
Subject: RE: please clarify- partial closure of bldg. B,D, and J

Akhter, I will coordinate all communications. We are not demolishing any structures.

Safety Starts With Me: Live It 3-6-5

Martin L. Smith

Director, Corrective Actions and Discontinued Operations
Clean Harbors Environmental Services, Inc.
13652 County Road 180
Carthage, Missouri 64836

417.358-0826 (O)
417.291.2170 (M)
417.359.8746 (F)

smith.martin@cleanharbors.com

www.cleanharbors.com



From: Akhter Hossain [mailto:ahossain@kdheks.gov]
Sent: Monday, January 13, 2014 4:41 PM
To: SMITH, MARTIN L
Cc: Mostafa Kamal; Grater, Lee R
Subject: please clarify- partial closure of bldg. B,D, and J

Martin,

I received two emails from your two consultants. I am kind of confused regarding the path you are following for closure of building B, D, and J. Please clarify the following confusion:

Mr. Mike Stephenson of Cameron-Cole talked about demolition and decontamination of building B,D, and J.

Mr. Brady Gerber sent information regarding the rinse water sampling for decontamination of hazardous waste units.

My confusion is : Why you want to decontaminate if you are planning to demolish?

I think all communication should come from you. In that case there will be no confusion.

Cameron Cole proposed to collect sub-slab samples in the late 2014. In that case CH-Wichita facility will not be able to meet the permit requirements explained in Section III.N.2 of the permit, which will result in non-compliance with the permit requirement.

Please submit to KDHE all closure activities you have done so far to fulfill the closure requirements for building B,D and J.

You can also call me at (785) 296-1610.

Thank you for your co-operation.

Akhter Hossain; P.E

KDHE/BWM

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****